

MOLD TYPE

CONN. OVERMOLD

MOLD NO.

CPO0380

ITEM

3,4

CONN. COVER

PPO0239

9

REV.

1

ECN NO.

DATE

Dec/26/2023

BY

Edda Wan

DESCRIPTION

RELEASED

RoHS

CONN 1

P4

P1

P3

P5

P2

1000.0^{+50.0}₋₀

44.2(1.740")±0.8

M12

2

3

4

5

~

9

1

11

10

12

Part No: M12A-05CFS00-UL24N10

REV 01

SB WWYY

LDPE

4

PACKING

70.0±2.0

50.0±2.0

Part No: M12A-05CFS00-UL24N10

REV 01

SB WWYY

CODE 39,
SCANNING CONTENT:
M12A-05CFS00-UL24N10

WW: WEEK(E.G.: 01~52)
YY: YEAR(E.G.: 00~99)

PACKING LABEL

12. A/R CABLE,MINI TAPE,BLACK

11. 1 ZIPPER BAG,320*400*0.08

10. 1 BLANK LABEL,70*50

9. A/R PE,TRANS-CLEAR

8. A/R GLUE,N/A,BLACK BROWN,5-40℃,12MONTH

7. A/R GULE,N/A,TRANSLUCENT,5-40℃,6MONTH

6. A/R PU ADHESIVE,BROWN,EAST-GRACE

5. A/R PU ADHESIVE,BLACK,EAST-GRACE

4. A/R PLASTIC MASTERBATCH,BLACK,FOR TPU

3. A/R TPU, SHORE A 78P, NATURAL, HF

2. 1 I/O CONN.,F,5P

1. A/R CABLE, UL20549, #24*5C+AEB, 0D=5.2

ITEM

QTY

DESCRIPTION

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION AND IS THE PROPERTY OF SINBON ELECTRONICS CO., LTD. IT MAY NOT BE USED OR ITS CONTENTS COPIED OR DISCLOSED TO A THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT AND IS TO BE RETURNED PROMPTLY UPON REQUEST BY SINBON ELECTRONICS CO., LTD.

CUSTOMER :

SINBON Webshop

CUSTOMER P/N :

M12A-05CFS00-UL24N10

REV.

01

UNLESS OTHERWISE SPECIFIED

TOLERANCE :

1 ~ 10 : ± 1

11 ~ 30 : ± 2

31 ~ 50 : ± 3

51 ~ 200 : ± 5

201 ~ 400 : ± 7

> 401 : ± 10

ANGLES : ± 1°

DRA.

Dec/26/2023

Edda Wan

CHK.

Dec/26/2023

Kevin Qiu

APR.

Dec/26/2023

Kevin Qiu

DESCRIPTION :

5P female pigtail anti-vibe IP67,1M

PART NUMBER :

C A9876495

REV.

1

SIZE

A3

UNIT

mm

SCALE

NONE

SHEET

1 of 1

NOTES:

1. TEST FOR OPEN, SHORT, CONTINUITY BASED ON THE WIRE RUN LIST.

TEST PARAMETERS:

- MAX. COND. RESISTANCE: 3Ω

- MIN. INSUL. RESISTANCE: 100MΩ

- TESTING VOLTAGE: 300V DC

2. IP67 WHEN MATED.

3. FOLLOW IPC620 CLASS II STANDARD TO ASSEMBLY AND INSPECTION.

4. RoHS COMPLIANCE (2011/65/EU & 2015/863/EU)

GDP-D-071 A